

FIG-1




FIG-2A

GREY MATTER CHOLESTEROL






FIG-2B




4/20

FIG-3A



5/20

FIG-3B



6/20

FIG-3C






FIG-4B




FIG-4C




FIG-4D




FIG-5A

DOSE RESPONSE WITH MEVASTATIN





FIG-5B DOSE RESPONSE WITH LOVASTATIN



U-G-I-L




FIG-5D

DOSE RESPONSE WITH SIMVASTATIN




FIG-6A BAPP CHO CELLS TREATED OVERNIGHT AT 37° WITH COMPOUND;
4G8/b6E10 ELISA ON MEDIA




FIG-6B
BAPP CHO CELLS TREATED OVERNIGHT AT 37° WITH COMPOUND;
4G8/b6E10 ELISA ON MEDIA




FIG-6C

RAPP CHO CELLS TREATED OVERNIGHT AT 37° WITH COMPOUND;
4G8/b6E10 ELISA ON MEDIA




FIG-6D
βAPP CHO CELLS TREATED OVERNIGHT AT 37° WITH COMPOUND;
4G8/b6E10 ELISA ON MEDIA




FIG-7A

β -AMYLOID PROTEIN IN ANIMAL BRAIN

EFFECT OF DIET AND SIMVASTATIN
ON $A\beta_{42}$ IN AGED B6 MICE




FIG-7B

β -AMYLOID PROTEIN IN ANIMAL BRAIN

EFFECT OF DIET AND SIMVASTATIN
ON $A\beta_{40}$ IN AGED B6 MICE

